

Project No: **BDHRN002**Job Card No **0079**

Notif.No.: 10049022

Activity: **1000**

Rev No: 20000622

Model.: F900EX

Sheet 1 of 1

A/C Regn: **D-AHRN**

Serial No.: 096

Type: F900EX

Starting Phase: Routine

Starting Work Centre: FALCON A/C TEAM

**Job Description: LUB Elevator Control Surface Hinges**

ETOPS A/C: No

RVSM A/C: No

Warranty: -

ATA: 55

Check Type: 1A CHECK

Work Center	
FALCON A/C	

**Zone: 300**

## Corrective Action

0001	<b>Task carried out in accordance with the attached Customer Card that quotes the Operator code detailed below.</b>					  Order: 80069285 Operation: 0010 Phase: Routine - scheduling activity Work Center:FALCON A/C TEAM
	Accomplished		Inspected			
	Pers. No.	Date	Pers. No.	Date		
	Stamp		Stamp			

Completed & Confirmed on SAP IAW MOE 2.13.


**Defect Card Raised**

## Components Removed/Installed

	Part Number	Part Name	S/N	Location	Comm. Off/On
OFF					
ON					
OFF					
ON					
OFF					
ON					
OFF					
ON					

Occurance Report Raised? YES ☐

Operations Above &amp; Notifications Completed IAW MOE 2.13.



OEM Code: 55-20-03-640-802

Operator Code: 55-20-03-640-802-01

Form No: JA-SAP-MTX-002

Printed by: ADAMOVIC G



Printed: 03.09.2012

13:34:17

Print No: 1

Operator: **HERON AVIATION**

Work Card No.: **27.180**

Serial No.: **096**

Model: **FALCON 900EX**

**PKG # 2 2A INSPECTION**

Reg No.: **D-AHRN**

Workorder No.: \_\_\_\_\_

	Date	A/C HRS	AFL	APH			
Due At	<b>25-NOV-2012</b>	<b>4410:47</b>					
Accomplished							

TECHNICIAN SIGNATURE: \_\_\_\_\_ KIND OF CERTIFICATE & NO.: \_\_\_\_\_

INSPECTED BY: \_\_\_\_\_ KIND OF CERTIFICATE & NO.: \_\_\_\_\_

TECH	INSP	LABOR-HRS HRS.MINS
------	------	-----------------------

**>55-20-03-640-802- LUBRICATION OF THE ELEVATOR CONTROL SURFACE HINGES  
01**

REMARKS : \_\_\_\_\_

AMM 55-20-03-640-802

## FALCON 900EX AIRCRAFT MAINTENANCE MANUAL

---

### TASK 55-20-03-640-802

## LUBRICATION OF THE ELEVATOR CONTROL SURFACE HINGES

**WARNING: PERSONNEL INJURIES CAN RESULT FROM ANY OPERATION ON FLIGHT CONTROL SYSTEM EQUIPMENT. ELECTRICAL AND HYDRAULIC POWER SUPPLIES AND ACTUATION OF THE PILOT/COPILOT CONTROLS ARE PROHIBITED WHEN PERFORMING OPERATIONS ON CONTROL LINKAGE COMPONENTS.**

**WARNING: ALL SAFETY PRECAUTIONS MUST BE TAKEN WHEN PERFORMING OPERATIONS ON THE EMPENNAGE. THE APPROPRIATE PLATFORMS AND SAFETY EQUIPMENT MUST BE USED.**

### 1. OVERVIEW OF THE JOB

Operation code: 55-20-03-640-802-01

### 2. LOGISTICS

#### A. Tools and Ground Support Equipment

Reference	Designation	Quantity
• <b><u>F7XC202000008</u></b>	TOOL BOX	
• <b><u>TO-20-947</u></b>	EMPENNAGE ACCESS PLATFORM	

#### B. Ingredients and Consumable Products

Designation	Additional designation
• <b><u>LUBRICATING OIL</u></b>	

### 3. LUBRICATION OF HINGES


Refer to **fig. 1**

- A. With **lubricating oil**, lubricate the parts indicated on figure.


**NOTE:** Each elevator must be manually operated on both sides of deflection in order to gain access to the hinges to be lubricated.

## FALCON 900EX AIRCRAFT MAINTENANCE MANUAL

---



NOTE : LH STABILIZER ONLY IS ILLUSTRATED  
(SAME FOR RH STABILIZER)



**Figure 1: Lubrication of Elevator Hinges**