

Project No: **BDHRN002**Job Card No **0081**

Notif.No.: 10049052

Activity: **1001**

Rev No: 20000622

Model.: F900EX

Sheet 1 of 1

A/C Regn: **D-AHRN**

Serial No.: 096

Type: F900EX

Starting Phase: Routine

Starting Work Centre: FALCON A/C TEAM

Job Description: LUB Elevator Control Bearings & U-joints

ETOPS A/C: No

RVSM A/C: No

Warranty: -

ATA: 55

Check Type: 2A CHECK

Work Center	
FALCON A/C	

Zone: 300**Access Required for this task:**

323H,335AL,345AR

Corrective Action

0001	Task carried out in accordance with the attached Customer Card that quotes the Operator code detailed below.					 Order: 80069286 Operation: 0010 Phase: Routine - scheduling activity Work Center: FALCON A/C TEAM
	Accomplished		Inspected			
	Pers. No.	Date	Pers. No.	Date		
	Stamp		Stamp			

Completed & Confirmed on SAP IAW MOE 2.13.

Defect Card Raised

Components Removed/Installed

	Part Number	Part Name	S/N	Location	Comm. Off/On
OFF					
ON					
OFF					
ON					
OFF					
ON					
OFF					
ON					

Occurance Report Raised? YES ☐

Operations Above & Notifications Completed IAW MOE 2.13.

OEM Code: 55-20-05-640-801

Operator Code: 55-20-05-640-801-01

Form No: JA-SAP-MTX-002

Printed by: ADAMOVIC G



Printed: 03.09.2012

13:34:17

Print No: 1

Operator: **HERON AVIATION**

Work Card No.: **27.265**

Serial No.: **096**

Model: **FALCON 900EX**

PKG # 2 2A INSPECTION

Reg No.: **D-AHRN**

Workorder No.: _____

	Date	A/C HRS	AFL	APH			
Due At	25-NOV-2012	4410:47					
Accomplished							

TECHNICIAN SIGNATURE: _____ KIND OF CERTIFICATE & NO.: _____

INSPECTED BY: _____ KIND OF CERTIFICATE & NO.: _____

TECH	INSP	LABOR-HRS HRS.MINS
------	------	-----------------------

>55-20-05-640-801- LUBRICATION OF THE ELEVATOR CONTROL BEARINGS AND UJOINTS

REMARKS : _____

AMM 55-20-05-640-801

FALCON 900EX AIRCRAFT MAINTENANCE MANUAL

TASK 55-20-05-640-801

LUBRICATION OF THE ELEVATOR CONTROL BEARINGS AND U-JOINTS

**WARNING: ELECTRICAL AND HYDRAULIC POWER SUPPLY PROHIBITED.
COMPLY WITH THE SAFETY MEASURES APPLYING TO THE OPERATIONS PERFORMED ON
FLIGHT CONTROLS. DO NOT ACTUATE THE HORIZONTAL STABILIZER AND/OR THE
ELEVATORS.**

1. OVERVIEW OF THE JOB

Operation code: 55-20-05-640-801-01

2. LOGISTICS

A. Tools and Ground Support Equipment

Reference	Designation	Quantity
• <u>F7XC202000008</u>	TOOL BOX	
• <u>TO-20-947</u>	EMPENNAGE ACCESS PLATFORM	

B. Ingredients and Consumable Products

Designation	Additional designation
• <u>SYNTHETIC GREASE</u>	MIL-PRF-81322

C. Access

Reference	Designation
• <u>323H</u>	REAR LIGHT CONE FAIRING
• <u>335AL</u>	ELEVATOR INBOARD HINGE ACCESS DOOR
• <u>345AR</u>	ELEVATOR INBOARD HINGE ACCESS DOOR

3. PRELIMINARY STEPS

A. Remove access doors (**323H**), (**335AL**), (**345AR**).

4. GREASING AND LUBRICATION

Refer to **fig. 1**

A. Lubricate the referenced items using type of lubricant and lubricating procedure as specified in figure.

5. FINAL STEPS

A. Install access doors (**323H**), (**335AL**), (**345AR**).

FALCON 900EX AIRCRAFT MAINTENANCE MANUAL




Figure 1: Location of Grease Nipples